


Vital Perspectives on Immunity, Disease, COVID-19 & Vaccination



By: Raymond Obomsawin Ph.D.
April 15, 2021

Part One

*“When health is absent wisdom
cannot reveal itself, art cannot
become manifest, strength cannot
be exerted, wealth is useless, &
reason is powerless”*

Herophilus - 300 B.C.





"The primary purpose of commercially funded clinical research is to maximize financial return on investment, not health."

John Abramson
Harvard Medical School

ALLOPATHIC MEDICINE LEGACY?

ANCIENT RELIGIOUS CULTS

“Modern” allopathic medicine has ancient religious cult origins. The “Rx” symbol originates in the Eye of Horus (son of Isis & Osiris) the Egyptian “*God of War*” & the “*Father of Pharmacy*”.



Origin of “Pharmacy”
In Ancient Greek Legend
Pharmaceia
Nymph Protector of a
Spring with Poisonous Powers



TWO SYMBOLS WHICH TODAY REPRESENT THE ORIGINS OF MAINSTREAM MEDICINE



Two major segments of mainstream Allopathic (drug & vaccine driven) Medicine employ symbolism directly tied to two (2) notable religious cults of Ancient Greece, which were dedicated to honoring & worshiping the gods Hermes & Aesculapius.



FOREBEARS OF A COUNTERFEIT HEALING SYSTEM

Today most Allopathic Medicine practitioners & associations trace their lineage back to Aesculapius, an ancient counterfeit Christ. He was son of the deified sun god & a mortal woman, so was both god & man. He healed the sick; miraculously raised the dead; was killed for being a merciful healer; & was resurrected as a god. His pole & serpent counterfeited the healing bronze serpent of Numbers 21:9, a prophetic symbol of Christ's bearing the guilt of humanity & power to heal.



FOREBEARS OF A COUNTERFEIT HEALING SYSTEM



The wand of the ancient god Hermes is intertwined by two snakes copulating & topped by wings. Commercial medicine, the U.S. Army & most hospitals in the U.S largely use this symbol. In sundry respects, he was a counterfeit Christ. Venerated as “*son of the chief God*” (Zeus), he also served as: “*emissary*” to humanity on behalf of his father & lesser gods; “*the good shepherd*”; the “*soul guide*” leading the dead to eternal life; “*intermediary*” between divinity & humanity; patron of “*alchemy*” (precursor to toxic chemical & metallurgical pharmacology); & protector of merchants, thieves & liars.

DECEPTION & BETRAYAL OF ALL NATIONS

Pharmakeia - Koine Greek
“druggist” “poisoner” &
“sorcerer, the giver of potions
to produce magical effects”

2,000 years ago a Biblical
Prophet looked upon the
panorama of earth’s history
& solemnly warned that a
time would come when: “*Her
merchants ruled the earth, &
by her sorceries (Pharmakeia)
were all the nations deceived.*”

Revelation 18:23




<http://peopleforfreedom.com/new-world-order-news/vaccine-dangers/>

DID VACCINATION ACTUALLY
ERADICATE THE INFECTIOUS KILLER
DISEASES OF THE 19TH &
EARLY TO MID 20TH CENTURIES?

DECEPTION PREVAILS
TRUTH FOLLOWS:


19TH CENTURY SMALLPOX VACCINATION EFFICACY

- 1871 Bavaria – out of 30,742 cases 29,429 in vaccinated persons (95.7 percent)
- 1871 Prussia – highest re-vaccinated country in Europe - highest death rate from smallpox any northern European country(69,839)
- German army - all recruits re-vaccinated
- death-rate from smallpox was 60 percent higher than among the civil population of the same age, for whom re-vaccination is not mandatory
- Various European epidemics - Cologne in 1870 the first unvaccinated person attacked by smallpox was the 174th in order of time, at Bonn the same year the 42d, & at Liegnitz in 1871 the 225th



Charles Creighton; *Vaccination*; Ninth Edition of the
Encyclopedia Britannica; UK; 1888; pp. 29 & 30.

VACCINE SUCCESS IN THE UK?



Walter R. Hadwen M.D.

Since the passing of the UK Compulsory Vaccination Act of 1853, England experienced three successive major epidemics with each growing larger & larger. By the year 1871 - 97.5% had been vaccinated in England & it then went on to experience its largest & most deadly smallpox epidemic ever recorded, with 44,800 deaths.

Hadwen W; The Case Against Vaccination; Address – Gloucester, UK; Jan. 25th, 1896

CHALLENGES RAISED & UNANSWERED



- ▶ Smallpox is five times as likely to be fatal in the vaccinated as in the unvaccinated
- ▶ In highly vaccinated areas e.g. Bombay & Calcutta - smallpox is rife, while in minimally vaccinated areas, such as Leicester, it is almost unknown
- ▶ 80 percent of the smallpox cases admitted into the hospitals have been vaccinated, with 20 percent unvaccinated
- ▶ Germany - the best-vaccinated country in the world – has more smallpox deaths proportional to the population than England. In 1919, there were 28 deaths in England, compared with 707 In Germany

L. A. Parry; *Fatality Rates of Small-Pox in the Vaccinated & Unvaccinated*; British Medical Journal; Jan. 21, 1928; p. 116.
(<http://www.bmj.com/content/1/3498/116.1.full.pdf+html>)

VACCINE SUCCESS IN THE USA?

“We [were] never able to prove that vaccination saved [even] one man from smallpox.... I know of one epidemic of smallpox comprising nine hundred & some cases, in which 95 percent of the infected had been vaccinated, & most of them recently”



William Howard Hay M.D. 1936

Hay WH; Address to the Medical Freedom Society on the Lemke Bill to Abolish Compulsory Vaccination; Pocono, PA USA; June 25, 1937.

WHO SMALLPOX ERADICATION?

- ▶ **The WHO smallpox eradication campaign launched in 1966 played no actual role in reducing smallpox. ¹ In fact over 90 percent of children in developing countries were never vaccinated. ²**
- ▶ **Smallpox was actually eradicated by three (3) synergistic factors: Natural Attenuation; tied to Improved Social Determinants, particularly Nutrition & Sanitation; & lastly Isolation. ³**



1 Hoole F; Evaluation Research & Development Activities; Sage Publications, Newberry Park, Calif., 1978, Figure 2.3, p. 58.

2. Buttram H, & Hoffman J; Bringing Vaccines into Perspective; Mothering Magazine; Vol. 34; 1985; p. 43.

3. <http://childhealthsafety.wordpress.com/2010/11/03/small-pox-big-lie/>

POLIO - MANIPULATION OF DIAGNOSIS & STATISTICS

In 1962 Bernard Greenberg, Chair - Committee on Evaluation & Standards APHA provided evidence to the U.S. congressional hearings on polio vaccination. He refuted the widespread claims that the Salk polio vaccine was effective.



In late 1955, many thousands of non-paralytic “*polio*” cases were re-labeled as Coxsackie virus & aseptic meningitis infections. This led to false & greatly exaggerated claims that the vaccine had caused this immediate “*huge decline*” in polio.

Despite greatly expanded vaccination in the late 1950s, 1957-58 experienced a 50% increase in paralytic polio, & 1958-59 an 80% increase in paralytic polio cases.

Hearings: CIFIC - House of Representatives, 87th Congress, 2nd Session on H.R. 10541, Wash DC: US Govt. Printing Office; 1962; p. 96-97.

NEUROTOXIC PESTICIDES & POLIO



Compelling epidemiological evidence links polio's rise & fall with the widespread usage & subsequent prohibition of neurotoxins, such as DDT, BHC, arsenic & lead based pesticides. Organochlorine pesticides such as DDT are associated with nerve damage, paralysis & death. ¹

In spite of repeated vaccine-based “*eradication*” efforts, polio continues to persist in certain countries, e.g. in Tajikistan where DDT was still “*commonly sold at market places ...by women & children*” for farming. ² In the year 2010: Tajikistan had 458 cases of polio; Kirgizstan 0 cases; & Kazakhstan 1 case. ³

1. <http://www.harpub.co.cc/overview.htm>

2. http://www.un.org/esa/dsd/resources/res_pdfs/publications/sdt_toxichem/practices_sound_management_chemicals_case_ex_1-14.pdf ; pp. 93-95.

3. <http://www.polioeradication.org/Dataandmonitoring/Poliothisweek.aspx>



Polio Incidence And Pesticide Production In U.S. 1940-1970 (millions of pounds)


All production data is derived from U.S. Board of Transportation figures (Hayes and Laws, 1996) since it is illegal for government to divulge pesticide production figures to the public.

DDT production after 1954 was exported on a huge scale, thus DDT production directed towards U.S. after 1954 is estimated from National Adipose Tissue Study (from Hayes), and inferred from increasing dominance of organo-phosphate pesticides.

Polio data is from U.S. Vital Statistics.


Laboratory analyses (1958) showed "polio" to be a mix of CNS diseases: polio, encephalitis, meningitis, and acute flaccid paralysis (no microbe found).






VACCINES DIDN'T SAVE US


A large body of historical epidemiological data shows that major declines in virtually all of the major infectious diseases took place before the use of specific vaccines. Claims about the historical life-saving impact of vaccination programs are only a sales pitch fantasy & not factual.



**United States
Tuberculosis Mortality
Rates per 100,000 Infants (1900-1960)**




**No Vaccination for
Tuberculosis
Employed in the USA**




Source: Data derived from - Vital Statistics of the United States 1937-1960; and Historical Statistics of the United States: Colonial Times to 1970 Part 1 Ch. B Vital Statistics and Health and Medical Care, pp. 44-86H.

**United States
Annual Influenza Mortality
Rates per 100,000 (1933-1965)**




Source: Doshi, P; Trends in Recorded Influenza Mortality: United States 1900-2004, American Journal of Public Health, May 2008, vol. 98, no. 5, p. 941.

UNDER AGE 5 INFLUENZA DEATHS BEFORE & AFTER U.S. CDC MANDATES FLU VACCINES IN EARLY CHILDHOOD




Under Age 5 Influenza Mortality statistics derived from: Center for Disease Control Vital Statistics Reports covering Years 1999-2003 reported in Miller, N.Z., Vaccine Safety Manual, New Atlantean Press, Sante Fe, New Mexico, 2008, p. 97.




Source: Data derived from: Vital Statistics of the United States 1937-1960; and Historical Statistics of the United States: Colonial Times to 1970 Part 1 Ch. B Vital Statistics and Health and Medical Care, pp. 44-86H.

**England & Wales
Mean Annual Pertussis Mortality
Cases Children under 15 (1850-1965)**



Source: McKeown T; The Role of Medicine: Dream, Mirage or Nemesis?; Basil Blackwell; Oxford, UK; 1979; p. 103

England & Wales Mean Annual Measles Mortality Cases Children under 15 (1850-1965)




**Measles
Vaccination Begins
in England & Wales
In the Late 1960s**

Source: McKeown, T; *The Role of Medicine: Dream, Mirage or Nemesis?*; Basil Blackwell; Oxford, UK; 1979; p. 105; & Waltzkin, H; in *The Relevance of Social Science for Medicine*; Springer; 1st edition, Dec. 31, 1980


England

Scurvy (Severe Vitamin C Deficiency) & Measles - *Parallel Decline in Mortality Rates per 100,000 (1919-1967)*




England

Scurvy (Severe Vitamin C Deficiency) & Pertussis - *Parallel Decline in Mortality Rates per 100,000 (1919-1967)*




Canada Tuberculosis Mortality Rates per 100,000 (1880-1960)



Source: based on data at: Timeline of TB in Canada <http://www.lung.ca/tb/tbhistory/timeline/>; <http://www.thecanadianencyclopedia.com/index.cfm?PgNm=TCE&Params=A1ARTA0008151>
Public Health Agency of Canada: <http://www.phac-aspc.gc.ca/publicat/cig-gci/p04-bcg-eng.php>; &
PHAC on BCG usage in Canada: http://www.phac-aspc.gc.ca/tbpc-latb/bcgvac_1206-eng.php

New Zealand Tuberculosis Mortality Rates Per Million (1880-1960)



Source: Director General Annual Mortality Reports Covering 1872-1960, New Zealand Parliamentary Journals for the Years Specified.

Children Under 2 Yrs of Age
Inactivated Influenza Vaccine



**Source: Cochrane Collaboration Database of Systematic Reviews, (John Wiley & Sons, Ltd.)
2006 (1) Article No. CD004879 – Covers 51 Studies on 260,000 children**

**Elderly Living in Communities
& Group Homes
Inactivated Influenza Vaccine**



**Negligible or 0%
Effectiveness**

Source: Cochrane Collaboration Database of Systematic Reviews, (John Wiley & Sons, Ltd.) 2006 (3)
Article No. CD004876 – Covers 64 Studies, over 40 years of influenza vaccination and see:
<http://www.bmj.com/cgi/content/full/333/7574/912>

BCG for Tuberculosis

Note: Tuberculosis found higher
among two (2) dose Vaccinated
versus Placebo Group

**0%
Effective**

Source: Randomised controlled trial of single BCG, repeated BCG, or combined BCG and *killed Mycobacterium leprae* vaccine for prevention of leprosy and tuberculosis in Malawi; The Lancet, Volume 348, Issue 9019, Pages 17 - 24, July 6, 1996.

BCG for Tuberculosis


Note: In years 0-2.5 the vaccinated had double the incidence of Tuberculosis versus Placebo Group

**0%
Effective**

Source: Double blind randomized controlled trial of BCG's effectiveness on 250,000 subjects Tuberculosis Research Centre (ICMR), Chennai, India: Indian Journal of Medical Research, 110, August 1999, pp. 56-69.


Mumps Outbreak in Highly Vaccinated Population

2006
Iowa



Source: Center for Disease Control ,
MMWR 55 (20); May 26, 2006; pp. 559-63.


Chickenpox Outbreak in Highly Vaccinated Population



Source: Pediatrics - Vol. 113; No. 3;
pp. 455-459; (2004)

Pertussis Outbreak in Highly Vaccinated Population


1993
Ohio



Source: Miller N; *Vaccine Safety Manual*;
N.A. Press, Sante Fe, New Mexico; p. 140; (2008)
(Refers to CDC & Official Surveillance data)

Measles Outbreak in Highly Vaccinated Population


1985
Texas



Source: New England Journal of Medicine -
Vol. 316; No. 13; pp. 771-774; (1987)

Measles Outbreak in Highly Vaccinated Population

1988
Colorado



Source: "A Measles Outbreak at a College with a Pre-matriculation Immunization Requirement" - American Journal of Public Health, March 1991, Vol. 81, No. 3

Is Vaccine Induced “Immunity” Reliable & Genuine?

A mid 20th century British study investigated the relationship of the incidence of diphtheria to the presence of antibodies. It was observed that there was no observable correlation between the antibody count & the incidence of the disease.



“The researchers found people who were highly resistant with extremely low antibody count, & people who developed the disease who had high antibody counts.”

Is Vaccine Induced “Immunity” Reliable & Genuine?


A team of scientist writing in the NEJM provided evidence for the position that immunity to infectious disease is a broader bio-ecological question then the factors of vaccination or serology.



They summarily concluded: *“It is important to stress that immunity (or its absence) cannot be determined reliable on the basis of history of the disease, history of immunization, or even history of prior serologic determination.”*

Polk BF, et al.; An Outbreak of Rubella (German Measles) among Hospital Personnel, The New England Journal of Medicine, Vol. 303, No. 10, Sept. 4, 1980, pp. 541-545.

THEORY & REALITY



THEORY: B lymphocyte cell response to infectious agents are dependent on intelligence from Memory T cells which serve as “*helpers*” aiding in the recognition of the of intrusive pathogens by signaling to B cells to produce “*high affinity antibodies*”.

REALITY: University of Chicago researchers found that Memory T cells are “*distressingly slow learners*”, requiring “*several generations*” of intensive stimulation to make a lasting impression on T cells “*No vaccine trial to date has been able to produce significant numbers of memory T lymphocytes...*”

NATURAL IMMUNE RESPONSE IS PRIMARY

The Pasteur Institute observed that “98% of the immune responses triggered at the early stages of infection are non specific. These non specific responses had been observed following different infections by viruses, bacteria, parasites and fungi.” Thus the innate or natural immune system affords 98% of vital early response to an infectious agent, while the adaptive or memory-based response that vaccination seeks to stimulate represents only 2% of early response.



Pasteur Institute Press Release – Towards new vaccination strategies based on ‘non specific immunity’; August 1, 2000.

CONCERNS ON ADMINISTERING MULTIPLE VACCINES



- ▶ Recent studies reveal that vaccine antigens & adjuvants which cross the blood-brain barrier, cause secretion of cytokines & chemokines. The release of cytokines causes:
 - ▶ Confusion
 - ▶ Language difficulties
 - ▶ Disorientation
 - ▶ Seizures
 - ▶ Memory problems
 - ▶ Somnolence
 - ▶ Irritability & combativeness
 - ▶ Mood alterations
 - ▶ Difficulty concentrating
 - ▶ Varied behavioral problems
- ▶ The microglia also release large quantities of glutamate & quinolinic acid, which are destructive to brain cells & their connective processes.

CORRUPT TO THE CORE

“Vaccine induced adverse reactions, including autism, diabetes, cancer, allergies, & various neurological disorders continue to mount & more so where vaccines are used the most. For all these reasons I refer to vaccines as “cluster bombs”, which when injected explode in all parts of one’s body & knock out some of the most critical organs & tissues.

Chopra S. (Communication Sept. 9, 2011)




Memoirs of a Health
Canada Whistleblower
SHIV CHOPRA

Prefaces by Maude Barlow,
Paul Dewar, MP, Vandana Shiva,
David Yazbeck



David Yazbeck
Paul Dewar, MP, Vandana Shiva,
Prefaces by Maude Barlow

Measles Vaccination & Inflammatory Bowel Diseases




Source:The Lancet - Vol. 345; 8957; 1995, pp. 1062-1063.

Cumulative Incidence IDDM/1,000,000 UK


Incidence - Insulin Dependant Diabetes Mellitus


Percentage - Pertussis Immunization Coverage



Source: Journal of Pediatric Endocrinology & Metabolism, 16, pp. 495-508; (2003)

BCG Vaccination Mandated in Schools & Diabetes Rates by Country





Source: Adapted from Blaxil, M; Vaccine Mercury Burden & Autism Risk (US) IOM 7/2001,
http://www.healing-arts.org/children/marksslide_files/slide0003.htm

HPV VACCINE GARDASIL

ADVERSE EVENTS

Reported Vaccine Induced Disorders Include:

- ✓ Blood Clots in Heart, Lungs & Legs;
- ✓ Brain & Spinal Cord Inflammation;
- ✓ Loss of Spinal Cord Function;
- ✓ Guillain-Barré Syndrome;
- ✓ Demyelination;
- ✓ Psychotic Disorders;
- ✓ Cognitive Disorders;
- ✓ Facial Palsy;
- ✓ Encephalitis; &
- ✓ Death.




YOUNG WOMEN NOW DEAD AFTER GARDASIL



<https://picasaweb.google.com/109294145629067902229/HPV>

PERTUSSIS VACCINE & *SUDDEN INFANT DEATH SYNDROME*



2/3 of 103 infants had been vaccinated with pertussis prior to death, of which 6.5% died within 12 hours; 13% within 24 hours; 26% within 3 days; 37%, 61% & 70% within 1, 2, & 3 weeks respectively. Source: Torch W., Neurology - 32 (4 – Pt. 2) A, 1982, pp. 169-170.

SUDDEN INFANT DEATH SYNDROME

Dawn Richardson & Karin Schumacher at the Austin, Texas (USA) morgue examined autopsy reports of infants listed as SIDS, & they established that a high number of SIDS deaths clustered at 2, 4, & 6 months, precisely when infants are routinely vaccinated. Medical examiners never even considered asking about observable relationship between the SIDS deaths & the timing of their vaccinations. (There are an estimated 2,300 SIDS fatalities annually in United States.)



SHAKEN BABY SYNDROME

VERDICT IS IN

An estimated 1,500 cases of Shaken Baby Syndrome (SBS) occurs annually in the United States. SBS diagnosis has led to indictments against, & imprisonment of parents & baby sitters, especially in the USA & UK causing much injustice & suffering for accused individuals & their families. Brain (subdural & subarachnoid) & retinal hemorrhages, retinal detachments, rib & other bone fractures are pathognomic. However, compelling evidence published in major medical journals shows that it is compliance with governmental vaccine schedules for infants that precipitate retinal hemorrhages & detachments, & increased fragility of bones. So most SBS cases actually originate with infant Vaccination.



SHAKEN BABY SYNDROME VERDICT IS IN

As the infant's body attempts to quickly neutralize the varied vaccine toxins, vital reserves of Vitamin C are depleted & these serious disorders & deaths (25% of cases die) occur due to Acute Scurvy. Pediatricians who routinely inject babies in the first months of life with multiple vaccines within short time spans, become both the accusers of the innocent, as well as the guilty party who are never investigated, prosecuted, or brought to justice. Of course the guilt & complicity goes beyond pediatricians to drug manufacturers, legislators, public sector policy-makers, & controlled media propagandists.



FEDERAL COURT INJUNCTION SOUGHT TO PREVENT FORCED VACCINATION IN USA



A Legal Case filed G. Glaser & R. Flores in Dec. of 2020 exhaustively documents & proves that unvaccinated Americans enjoy exponentially better health than the vaccinated. Specifically, 1,248% better health for unvaccinated adults & 1,099% better health for unvaccinated children.

Litigators utilized thousands of pages of irrefutable scientific evidence. National data of vaccinated children show 54% of children in the U.S. have a wide range of chronic degenerative health conditions. In contrast, among unvaccinated children, the rate is only 6%. The evidence for these findings has a 99% confidence interval.

<https://informedconsentdefense.org>

PROPAGATING SIN



Mahatma Gandhi was dismayed & alarmed when speaking of Western medicine's claims that its armamentarium of drugs & vaccines could "*absolve*" human beings from giving due respect & obedience to nature's laws as the means of safeguarding & sustaining their personal health.



"I was at one time a great lover of the medical profession... I no longer hold that opinion... Doctors have almost unhinged us.... [with their] institutions for propagating sin. Men take less care of their bodies & immorality increases."

WAR ON DISEASE OR HUMANITY?


Warring with disease using toxic drugs & vaccines is an attempt to abrogate the immutable laws of cause & effect as divinely established in our physical being. These measures inescapably deaden the conscience, & make war upon the human constitution. *“Congratulations, with our magic potions, you can now with impunity & immunity violate the sacred laws of life & health - as our vaccines protect & our drugs cure!”*

1918-19 Flu Pandemic – Using natural therapies Dr. Herbert Shelton treated roughly 1,000 cases in New York City without losing one patient. In contrast, a majority of patients being treated with toxic allopathic drugs died.



Shelton HM; Natural Hygiene: Mans' Pristine Way of Life;
<http://www.soilandhealth.org/02/0201hyglibcat/020125shelton.pristine/020125toc.htm> p. 510.

THE RESTORATIVE ROLE OF INFECTIOUS DISEASE PROCESSES



The most prolific American woman non-fiction writer (5,000 articles & 40 books) - translated into more than 140 languages was Ellen White.

She affirmed *“Let physicians teach the people that restorative power is not in drugs, but in nature. Disease is an effort of nature to free the system from conditions that result from a violation of the laws of health. In case of sickness, the cause should be ascertained. Unhealthful conditions should be changed, wrong habits corrected. Then nature is to be assisted in her effort to expel impurities & to re-establish right conditions in the system.”*

White E; The Ministry of Healing; Pacific Press Publishing Assoc.; 1905; p 127.

Part Two

PANDEMIC OR PLANDEMIC, & mRNA VACCINES?



ALL NATIONS DECEIVED
TRUTH FOLLOWS

Special Edition of The Economist titled: The World in 2019 issued 23 months before the “*Pandemic*” (January of 2018), portrays in inverse order, the 4 horseman of Revelation chapter 6. The red horse rider who takes peace from the earth wears:

- ✧ Surgical Mask with Holes
- ✧ Black Blindfold &
- ✧ Corona Crown



ECONOMIST COVER ART - MEANING


The Economist (world's leading economic journal, with 35 million social media readers) uses backward writing on this cover (commonly employed in occultic Luciferian worship circles). The ***Special Edition*** editors chose the Red horse & rider, to symbolize the yet future worldwide “*Pandemic*,” in which peace was taken from the hearts & lives of billions.

- i. The Rider's Surgical Mask over both his mouth & nose has visible holes to make a mockery of fearful mask wearers, who gullibly think they're blocking microbes, when they're not. Instead natural immunity is weakened, making one more susceptible to disease.
- ii. The Rider wears a black Blindfold, depicting public blindness.
- iii. Lastly the Rider wears a “CORONA” style Crown, indeed a Crowning Deception. (In Rev. 6, this Rider wears no Crown.)

“COVID-19” TESTING KITS MASS MARKETED WORLDWIDE IN 2018



How could manufacturers in dozens of countries sell in mass volume testing kits generating multiple Billions of dollars in sales for an unnamed disease, which has never existed in human history? How could they possibly know that beginning in Dec. of 2019 an infectious disease Pandemic would impact virtually all countries & that in Feb. of 2020 it would be named “**COVID-19**” by the WHO. Such prescience is absolutely impossible. Irrefutable PROOF of these export sales is on next slide.



WITS
World Integrated Trade Solution

Login

Register



Trade Stats ▾

Tariffs ▾

Non-Tariff Measures ▾

API ▾

Analytical database

Tools ▾

Bulk Download

Home

About WITS

Reference ▾

Training ▾

Support Links ▾

COVID-19 Diagnostic Test instruments and apparatus (902780) exports by country in 2018

Additional Product information: Instruments used in clinical laboratories for In Vitro Diagnosis. Colorimetric end tidal CO2 detector, sizes compatible with child and adult endotracheal tube. Single use.

Category: **COVID-19 Test kits/ Instruments, apparatus used in Diagnostic Testing**

In 2018, Top exporters of **COVID-19 Diagnostic Test instruments and apparatus** are European Union (\$2,885,620.49K), United States (\$2,474,886.39K , 3,008,040 Item), Germany (\$2,282,319.47K), Japan (\$1,292,837.58K), Singapore (\$1,125,969.91K , 62,765,200 Item).

COVID-19 Diagnostic Test instruments and apparatus imports by country in 2018

European Union	Export	902780	COVID-19 Diagnostic Test instruments and apparatus	2018	World	2,885,620.49		
United States	Export	902780	COVID-19 Diagnostic Test instruments and apparatus	2018	World	2,474,886.39	3,008,040	Item
Germany	Export	902780	COVID-19 Diagnostic Test instruments and apparatus	2018	World	2,282,319.47		
Japan	Export	902780	COVID-19 Diagnostic Test instruments and apparatus	2018	World	1,292,837.58		
Singapore	Export	902780	COVID-19 Diagnostic Test instruments and apparatus	2018	World	1,125,969.91	62,765,200	Item
China	Export	902780	COVID-19 Diagnostic Test instruments and apparatus	2018	World	804,311.98	31,420,400	Item

STAGGERINGLY USELESS



The RT-PCR test:

- i. Has no RNA from the virus its supposed to test for;
- ii. Incapable of identifying or isolating any type of virus;
- iii. Doesn't provide RNA sequences of viral pathogens;
- iv. Offers no baseline (gold standard) for comparison with patient samples;
- v. & Cannot determine an infected from an uninfected sample.



CDC ADMITS RT-PCR TESTING IS INDEFINITE & UNRELIABLE



The CDC 2019-Novel Coronavirus
(2019-nCoV) Real-Time RT-PCR Diagnostic Panel
(07/13/2020) on page 38 concludes:

“Detection of viral RNA may not indicate the presence of infectious virus, or that 2019-nCoV is the causative agent for clinical symptoms... This test cannot rule out diseases caused by other bacterial or viral pathogens ”

EUROPEAN COURT OF APPEALS ON WHY 97% OF PCR TEST “POSITIVES” ARE FALSE

RE: Jaafar et al. (2020; <https://doi.org/10.1093/cid/ciaa1491>) A European Court of Appeals concluded that: *“If a person tests positive by PCR, [when] ...a threshold of 35 cycles or higher is used (as described in most laboratories in Europe & the USA), the likelihood that this person is infected is 3% & the likelihood that the result will be a false positive is 97%.”*



WHY SO MANY PCR TEST “POSITIVES” ARE FALSE



This “*Pandemic*” was clearly Planned years in Advance, built on a Foundation of Phony Testing in which “*Positive*” results mean virtually nothing. To create a further waves, such Test “positives” are now labeled by Mass Media propagandists as “cases”. This is blatant fear mongering for political control & to generate Huge Corporate Profits from High Risk Drugs & even more Dangerous experimental mRNA Vaccines.

37 U.S. UNIVERSITIES 48,299 NEW “CASES” TWO HOSPITALIZED & NO DEATHS

“Positive” Test Results
period of Sept. 1 to 22,
2020 – Now Falsely
labeled Covid-19 “Cases”
in a Planned & Managed
Mass Media Propaganda
Scheme.

University	Reported C19+, “Cases” (N)*	Reported Hospitalizations (N)**	Reported C19 Deaths (N)***
(1) U of Alabama sys	2729	0	0
(2) U of Georgia	2901	0	0
(3) U of Kentucky	1645	0	0
(4) Ohio State U	2638	0	0
(5) U of Dayton	1242	0	0
(6) Miami U of OH	1372	0	0
(7) Illinois State U	1334	0	0
(8) U of Iowa	1908	0	0
(9) Missouri State U	960	0	0
(10) U of Kansas	882	0	0
(11) Kansas State U	707	0	0
(12) Penn State U	1182	0	0
(13) U of Wisconsin	2684	1	0
(14) U of Miami	394	0	0
(15) U of S Carolina	2256	0	0
(16) U of Arizona	2137	0	0
(17) Notre Dame U	688	0	0
(18) Temple University	448	0	0
(19) James Madison U	1465	0	0
(20) Texas Tech U	1332	0	0
(21) U of Texas	955	0	0
(22) Texas Christian U	917	0	0
(23) Texas A & M U	1330	0	0
(24) U of Illinois	2138	0	0
(25) Iowa State U	1021	0	0
(26) East Carolina U	889	0	0
(27) U of N Carolina	1085	0	0
(28) N Carolina State U	957	0	0
(29) Auburn U	1654	0	0
(30) Arizona State U	807	0	0
(31) San Diego State U	845	1	0
(32) Ball State U	965	0	0
(33) U of N. Dakota	712	0	0
(34) U of Cent Florida	895	0	0
(35) U of Florida	653	0	0
(36) Oklahoma State U	892	0	0
(37) SUNY-Oneonta	680	0	0
Totals (N)	48,299	2**	0

*As of data accessed 9/22/20; ostensibly by reverse transcriptase polymerase chain reaction amplification & detection of C19 viral RNA, or C19 nucleocapsid protein antigen detection by immunofluorescent assay(s)

Estimation of Individual Probabilities of COVID-19 Infection, Hospitalization, and Death From A County-level Contact of Unknown infection Status


<https://www.medrxiv.org/content/10.1101/2020.06.06.20124446v2>

_View ORCID Profile Rajiv Bhatia M.D. Stanford Univ., Jeffrey Klausner M.D. UCLA
doi: <https://doi.org/10.1101/2020.06.06.20124446>

Assuming Covid-19 can be transmitted between people - For a 50 to 64 year old, the median estimate probability of hospitalization due to Covid-19 is 1 in 709,000 person contacts. The median estimate of a fatality is 1 in 6,670,000 person contacts.

COVID-19 ACTUALLY PARASITIC?

Despite massive fraudulent testing, misdiagnosis, false attribution; & deadly medical measures (e.g. ventilation), an apparently novel sickness did arise in the “*pandemic*” mostly in the elderly. This condition clearly symptomizes poisoning (not bacterial or viral infection). Early use of anti-parasitic drugs, Hydroxy-chloroquine, Ivermectin, & Niclosamide rapidly reverses symptoms.



The intracellular parasite Babesia enters red blood cells & devours the cell's oxygen supply & it has up to a 6 week incubation period. COVID-19 & Babesiosis share 24 identical symptoms including: severe oxygen loss (without congestion); Fever or Chills; Dysphagia; Petechial Skin Rash; Photophobia; Thrombocytopenia; Disseminated Intravascular Coagulation; Jaundice; Tinnitus; & Loss of Taste, etc. There is a plausible means whereby this infection could have occurred precipitately worldwide.

MORE EVIDENCE OF PRE-MEDITATED FRAUD

MODERNA's COVID-19 vaccine design was completed before China had even reported the disease to be communicable & a week before first "case" was confirmed in the U.S. The Vaccine was already manufactured & shipped to the National Institute's of Health for clinical trials, a month before the first U.S. death was even recorded.

Conclusion - The vaccine was already fully manufactured before the WHO had even designated the "*pandemic*" disease as "*COVID-19*" & a month before the first U.S. resident had even died of the disease ??? In capital letters F R A U D



BILL GATES SWEEPING AGENDA

Bill Gates vision is that every man, woman & child on Earth will be vaccinated with a Covid-19 Vaccine. He's fast tracked 7 new vaccine factories to help produce the 7 billion vaccine doses he claims will end the COVID-19 pandemic.

He publically affirmed that *"if we do a really great job on new vaccines, health care, reproductive health... [aka abortions], we lower [earth's population] by.... 10 or 15 percent."* Based on the world's population 7.8 billion, a 10 to 15% reduction in the population means a reduction of 780 million to 1.17 billion people.



RUSHED COVID-19 VACCINE OBSESSION - UNWARRANTED & DANGEROUS

An emergency experimental “*vaccine*” can’t be expected to be safer than a viral disease with a very high survival rate, such as COVID-19. With no treatment the average survival rate, is 99.74%, & highly successful & well tolerated treatments are confirmed & documented in 100’s of studies. Such treatments could easily achieve universal survivability from COVID, if made widely available.




Dr. John Ioannidis, Professor at Stanford University is the most widely cited biomedical scientist in the world. It was he who first arrived at a 0.26% infection fatality rate for Covid-19, & this estimate is now confirmed worldwide.

<https://www.primarydoctor.org/covidvaccine>

THE FACTS ON COVID-19 mRNA VACCINES

- ✓ Pfizer & Moderna mRNA Covid-19 “*vaccines*” are not actually vaccines, but rather experimental gene interventions. They use the “*vaccine*” label so they can piggyback the vast propaganda machinery promoting vaccines, & also cannot be sued if their “*vaccine*” should harm or kill you.
- ✓ Peer-reviewed published human trials of mRNA *vaccines* do not exist, & no Covid-19 vaccine is FDA approved or licensed, & drug manufacturers publically admit their vaccines can’t prevent the disease from being contracted.



THE FACTS ON COVID-19 mRNA VACCINES

- ✓ Vaccines take on average 7-12 years to develop; these “*vaccines*” were rolled out with no long-term human safety studies & in only 9 months time.
- ✓ People must be told all “*vaccine*” risks & claimed benefits & under Federal law can’t be forced to take experimental biologic drugs such as the mRNA “Vaccines” without their fully informed consent.



THE FACTS ON COVID-19 mRNA VACCINES

The Covid-19 mRNA vaccines employ a Cationic lipid coating for the mRNA. This lipid coating is well known in biomedical research for its toxicity, because the (+) charged fats interact with the (–) charges on our amino acids, our cell membranes & the phosphates of our DNA.

Cationic lipids are attracted to & are destructive toward:

- ✓ Lungs;
- ✓ Mitochondria;
- ✓ Red & White Blood Cells;
- ✓ Liver;
- ✓ Immune System function; &
- ✓ Nervous System function;



GENETICALLY MODIFYING HUMANITY?

One of the most menacing dangers with the experimental mRNA vaccines is what will happen when the injected mRNA comes in contact with Reverse Transcriptase. This is an enzyme found in every human cell & we have tens of trillions of cells. Such contact will lead to the mRNA creating unpredictable & unwanted alterations in a person's Genome. The Genome is all the genetic material in a human organism, & it consists of both the Genes & the DNA. The Covid-19 Vaccination drive is treating millions of human beings as Guinea Pigs. It is perilously playing God.



CHALLENGES RAISED TO VACCINE TRIALS



Pfizer & Moderna's respective claims of 95.1% & 94.7% mRNA vaccine "*efficacy*" is Relative Risk, i.e. as a percentage of the Absolute Risk (Baseline or Actual Risk) of infection, which is 0.7% & 0.6%. Thus the unusually high "*risk*" reduction percentages are being broadcast to the world to intentionally mislead people into falsely believing the vaccines are extremely effective. Moreover, the two companies respective vaccine "trials" did not verify the ability of the vaccines to save lives, nor their ability to prevent infection, nor their efficacy in important subgroups such as the frail-elderly.

<https://blogs.bmj.com/bmj/2020/11/26/peter-doshi-pfizer-and-modernas-95-effective-vaccines-lets-be-cautious-and-first-see-the-full-data/>

70% GREATER RATE OF INFECTION IN PFIZER'S FIRST DOSE VACCINATED

The FDA confirms that Pfizer's mRNA first vaccine dose correlates with increased COVID-19 infections.



I quote: "*Suspected COVID-19 cases that occurred within 7 days after any vaccination were 409 in the vaccine group vs. 287 in the placebo group.*" A 70% higher rate in the vaccinated is a statistical finding that originates with Pfizer.

PHYSICIANS & BIOMEDICAL SCIENTISTS WARN DO NOT TAKE THE “VACCINE”





In Period of Dec 1, 2020 to April 13, 2021 VAERS reports 3,005 deaths from Covid-19 Vaccination

*“Underreporting” is a major limitation of passive surveillance systems, including VAERS. VAERS receives reports for only a small fraction of actual adverse events. Harvard Pilgrim Health Care’s, 3 year study on Adverse Event Reporting (1.4 million doses of 45 different vaccines, 376,452 people) was submitted to the DHHS, & documented that “*fewer than 1% of vaccine adverse events are reported.*” It recommended that “*New surveillance methods for drug & vaccine adverse effects are needed.*”*

Despite such extremely small fractional reporting, the U.S. National Vaccine Injury Compensation Program (VICP) has to date paid out to vaccine victims approximately 4 billion 500 million dollars in damages.

Harvard Pilgrim Health Care, Inc.; Electronic Support for Public Health–Vaccine Adverse Event Reporting System (ESP:VAERS) 09/30/10.

VAERS REPORTS



THERE ARE MORE THAN TWICE AS MANY
VACCINE RELATED DEATHS REPORTED TO VAERS
IN THE FIRST THREE (3) MONTHS OF 2021 (2,213)
THAN ALL REPORTED VACCINE DEATHS IN THE
PRECEDING 10 YEAR PERIOD (994)

6000% INCREASE IN REPORTED VACCINE DEATHS IN 1ST QUARTER OF 2021 OVER THE 1ST QUARTER OF 2020

VAERS reported 2,213 deaths from vaccination at the end of the first quarter of 2021. This is primarily from the new experimental “*Emergency Use Covid-19 vaccines*” which are still unapproved by the FDA. This number of deaths is massively larger, by over 6000%, than the reported 36 deaths from FDA-approved vaccines by the end of the first quarter of 2020. (44% of these 2020 deaths were in infants under age 3.)



<https://www.globalresearch.ca/6000-increase-reported-vaccine-deaths-1st-quarter-2021-compared-1st-quarter-2020/5741588>



EudraVigilance - European database of suspected adverse drug reaction reports

The European Medicines Agency publishes these data so that its stakeholders, including the general public, can access information that European regulatory authorities use to review the safety of a medicine or active substance. **Transparency** is a key guiding principle of the Agency.

COVID-19 Vaccine Adverse Drug Reactions 5,365 DEAD

238,949 Injuries Through March 27, 2021

COVID-19 MRNA VACCINE PFIZER-BIONTECH (TOZINAMERAN)

COVID-19 MRNA VACCINE MODERNA (CX-024414),

COVID-19 VACCINE ASTRAZENECA (CHADOX1 NCOV-19),

COVID-19 VACCINE J & J - JANSSEN (AD26.COV2.S)



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

EudraVigilance 

PASSIVE REPORTING IN EUROPE To 20/27/2021

PFIZER mRNA “Vaccine” 3,268 Deaths & 121,514 Injuries

MODERNA mRNA “Vaccine” 1,256 Deaths & 9,625 Injuries

Serious Injuries & Deaths Related to:

Cardio-Vascular System
Gastrointestinal Track
Infections & Infestations
Blood & Lymphatic system
Musculoskeletal System
Nervous System
Respiratory-Thoracic System



<https://medicalkidnap.com/2021/04/09/5365-dead-238949-injuries-european-database-of-adverse-drug-reactions-for-covid-19-vaccines/>

DEADLINESS OF PFIZER MRNA “VACCINE”

Dr. Hervé Seligmann, & colleague at Aix-Marseille Univ. in France conducted a scientific mathematical analysis on data provided by the Israeli Health Ministry, revealed that during a recent five-week vaccination period in Israel, Pfizer mRNA gene therapy injections had already killed “*about 40 times more elderly people than the disease itself would have killed*”.




The situation is even worse for younger people for among those under age 65, the vaccines killed 260 times more people than would have died from COVID-19.

All if these deaths occurred shortly after the vaccines were administered. It remains to be seen what will happen in the mid to long-term future.

<https://www.lifesitenews.com/news/experimental-vaccine-death-rate-for-israels-elderly-40-times-higher-than-covid-19-deaths-researchers>

RNA BASED VACCINES & THE RISK OF PRION DISEASE

RNA based vaccines pose special risks of inducing prion-based diseases caused by activation of intrinsic proteins to form prions. *“The folding of TDP-43 & FUS into their pathologic prion confirmations is known to cause ALS, front temporal lobar degeneration, Alzheimer’s disease & other neurological degenerative diseases.”* In turn, these diseases could become *“even more common & debilitating than the viral infection the vaccine is designed to prevent.”* Moreover, *“Approving a vaccine, utilizing novel RNA technology without extensive testing is extremely dangerous. The vaccine could be a bioweapon & even more dangerous than the original infection.”*



SLOAN KETTERING DISCOVERY MEANS mRNA “VACCINE” COULD INACTIVATE NATURAL TUMOR-SUPPRESSING PROTEINS

Recent discovery - Innate mRNA is vital for cancer tumor suppression. Covid vaccines synthetic mRNA may displace this function once both doses are administered, & may cause massive increases in cancer among the vaccinated. Unbiased research on this plausible danger is now urgently needed.



<https://alethoneews.com/2021/03/12/scientists-at-sloan-kettering-discover-mrna-inactivates-tumor-suppressing-proteins-meaning-it-can-promote-cancer/>

PROFESSOR OF MEDICINE PREDICTS PROBABLE mRNA “VACCINE” MASS DEATHS

According to Dr. D. Cahill the vaccinated become a genetically modified organism. Months later after exposure to the targeted virus, the “*adaptive immune system kicks in*” & creates antibodies. Now organ failure is underway because the immune system begins killing the vital organs. Patients will present as sepsis initially & then will die of organ failure. Organ failure & death occurred in a significant number of animals when mRNA vaccines were tested on them.



<https://www.lewrockwell.com/2021/01/bill-sardi/horrific-latent-deaths-predicted-among-the-elderly-by-genetics-professor-after-immunization-with-rna-vaccines/>

FORMER PFIZER CHIEF SCIENTIST & VP MICHAEL YEADON ISSUES WARNING

In accord with Cahill's conclusion, mRNA stimulation of "*non-neutralizing antibodies*" can lead to Antibody-Dependent Amplification, (ADA) typically months after vaccination. This can be fatal. Yeadon confirms that such fatalities occurred in multiple Corona vaccine animal tests.



Antibodies attacking spike proteins of SARS-CoV-2 will occur. Spike proteins contain syncytin-homologous proteins - essential for placenta formation in humans - so permanent infertility could occur in vaccinated women (& possibly men).

The vaccines contain polyethylene glycol (PEG). Since 70% of people develop antibodies against PEG, large numbers could experience disabling or fatal anaphylactic shock reactions to the vaccination. (Widespread disablement & deaths now occurring.)

<https://theliberal.ie/doctor-and-former-pfizer-vp-claims-rushed-vaccine-could-cause-permanent-infertility-and-other-catastrophic-side-effects/>

BOOSTER SHOTS FOR COVID MUTATIONS UNNEEDED, BUT COULD BE USED FOR MASS MURDER

Dr. Yeadon vehemently warns against younger people getting the experimental COVID shots when they're at a virtually ZERO risk of being harmed by COVID, but at tremendous risk of being harmed by the new experimental vaccines.

Moreover, *"Trying to persuade pregnant women in their 20s to be vaccinated: What kind of unethical monster does that?"*

"All the 'fear porn' the media is hyping over the 'COVID variants' or mutations is unfounded, because... they're really the same. All of the variants are so similar to the original, there's no chance what-so-ever that you're body will see them as anything new." So now the drug companies are insanely rushing to make totally unnecessary new vaccines for the variants. He tersely observes *"My significant fear is, if somebody wanted to arrange a situation where mass depopulation could be accomplished, this would probably be a perfect way of doing it."*



<https://medicalkidnap.com/2021/04/11/former-pfizer-vice-president-dr-yeaton-covid-variants-not-more-dangerous-boosters-not-needed-but-could-be-used-for-mass-murder/>

MODERNA & PFIZER NOW CRIMINALLY TARGETING YOUNG CHILDREN & INFANTS FOR EXPERIMENTATION

Moderna, will be shortly launching mRNA vaccine trials on 6,750 children in the USA & Canada aged 6 months to 12 years, in its KidCOVE study. The first segment of KidCOVE will target 6 month to 1 year old infants for vaccination with varied experimental dosage levels.


Pfizer & BioNTech mRNA Vaccine trials will enroll more than 4,600 children. Three age groups - 6 months to 2 years, 2 to 5 years, & 5 to 11 years will be vaccinated using various experimental dosage levels. The companies are presently thinking of running similar MRNA vaccine trials in infants under 6 months.



AS BLOOD CLOT DEATH WAVE INCREASES FDA HALTS JOHNSON & JOHNSON VACCINES

The FDA has now called a nationwide halt to the Johnson & Johnson Covid-19 vaccine due to increasing deaths from vaccine-induced blood clots. (A number of Major European nations have suspended use of the AstraZeneca vaccine for the same reason.)

In actuality, all Covid-19 vaccines can cause deadly blood clots, for spike protein structures can biologically activate blood coagulation (clotting) inside the body. These blood clots travel to the brain, heart, lungs & other organs, causing strokes, heart attacks, pulmonary embolisms (blood clots in the lungs). Deaths of this nature are generally not attributed to the administration of vaccines.



DR. ROBERTO PETRELLA'S WARNING

By mid-2020 Dr. Petralla had warned the Italian public: *“COVID 19” is NOT the name of a virus, but rather of a depopulation program. DO NOT take the tests, as they don't work. The vaccines being developed & promoted are a “Descent into HELL” as they aim to effect a massive reduction in the Human Population.*

Many who then laughed at this Italian Medical Doctor's warning, are today no longer laughing.



56 Year Old Obstetrician in Miami Dies Of Thrombocytopenia After Receiving A First Dose Of The Pfizer Mrna Experimental Vaccine In Dec. 2020.



Dr. Gregory Michael

28 Year Old Ph.D. Physical Therapist from Indiana, Dies 2 Days After mRNA Vaccine

Haley Brinkmeyer



<https://healthimpactnews.com/2021/28-year-old-phd-physical-therapist-dead-2-days-after-being-injected-with-covid-experimental-mrna-vaccine/>

Jeanie-Marie Evans

Kansas City Council Woman DEAD



Hours after experimental mRNA COVID shot

<https://healthimpactnews.com/2021/kansas-city-council-woman-dead-hours-after-receiving-experimental-covid-injection/>

39 Year Old Mom & Surgical Technician
from Utah is Dead
4 days After Receiving the 2nd
Experimental Moderna mRNA COVID Shot
Her Liver, Kidney & Heart Shut Down.



<https://healthimpactnews.com/2021/39-year-old-surgical-technician-and-mother-dies-4-days-after-second-experimental-moderna-covid-mrna-shot/>

Brooklyn Attorney & television commentator
Midwin Charles is dead at age 47 after apparently
several days of suffering having received an
experimental mRNA Covid-19 Vaccine.

MSNBC Legal Analyst DEAD



Weeks After Experimental COVID Shot

The Times of Israel reports that a 22-year-old young woman has died from inflammation of the heart muscle, 2 weeks after receiving her second dose of the experimental mRNA Pfizer injection.



<https://healthimpactnews.com/2021/22-year-old-israeli-girl-dead-following-experimental-pfizer-mrna-covid-injection/>

DR. JOSHIMAR HENRY FROM CHICAGO PFIZER MRNA VACCINE VICTIM

Three months after receiving Pfizer mRNA shots, a 27 Year old intern physician from Chicago dies unexpectedly. Is this the start of the mRNA Vaccine triggered autoimmune disorder whereby vital organs are destroyed & death ensues. Some prominent biomedical scientists warned that this could begin to occur 3 to 6 months after being vaccinated, on a large scale. So will we be seeing mass deaths occur among the vaccinated just ahead?



<https://healthimpactnews.com/2021/healthy-27-year-old-chicago-doctor-dead-3-months-following-covid-shots-raising-long-term-safety-concerns/>

Famous People who've died of Covid-19 who weren't already gravely ill, or Hospitalized for other illnesses: NONE

Famous People who died within 2 weeks after taking the Covid mRNA Vaccine:


Hank Aaron;



Larry King;



Rush Limbaugh; &



Marvin Hagler.




DEATH BY MEDICINE

The book *Death by Medicine*, (2011 revised edition) meticulously documents that annually in the United States there are an approximate: 2,200,000 adverse reactions to medical drugs (including vaccines), & 784,000 deaths related to drugging, vaccines, & related invasive measures. This is a comparable loss of life to 1,568 full jumbo jet fatality crashes.

Thus iatrogenesis, (from the Greek meaning “*brought forth by the healer*”) has become the leading cause of death in the nation, actually exceeding the respective annual death rates for Cardiovascular Disease, & Cancer.

Null G., Feldman M., Rasio D., & Dean C.; *Death by Medicine*; Prakitos Books, Mount Jackson, Virginia; Revised Edition; 2011, pp. 1-157



POISONING THE ILL & THE WELL, SLAPPING LAW & ORDER IN THE FACE



The “*Pandemic*” has been a massively orchestrated campaign which has hypnotically terrorized the peoples of Earth into a falsified fear of an invisible killer microbe, with drugs & vaccines touted as the only solution. However, to kill or ward off disease by poisoning the ill with drugs & the healthy with vaccines, is to wage war upon the human mind-body complex. Such nefarious approaches for reversing & preventing human diseases, whether degenerative or infectious, are nothing more than counterfeits. Nature affords an incredibly rich array of far superior, non-disabling healing agencies, including simple non-toxic botanical medicines.

ONE VIABLE ALTERNATIVE - ECHINACEA

NO ADVERSE EFFECTS & NO DRUG OR VACCINE CAN COMPARE

- ✧ Anti-Bacterial & Anti-Viral, aiding in prevention & reversal of Pneumonia, Influenza & other infections
- ✧ Aids in control & normalization of Blood Sugar levels
- ✧ Antioxidant properties support healthy Cell Growth
- ✧ Assists in Digestive processes
- ✧ Lowers High Blood Pressure
- ✧ Increases number & potency of T lymphocyte (NK cells) reducing Cancer risk & aids in Cancer reversal.
- ✧ Reduces Inflammation
- ✧ Helps in reduction of Anxiety
- ✧ Effective internally & topically as treatment for Venomous Bites of snakes, reptiles & insects




<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1193558/>

#~:text=Our%20results%20have%20shown%20that,life%20span%20of%20leukemic%20mice.

LONGEVITY & PRISTINE HEALTH - HUNZA

In the remote Karakoram Mountains are the people of Hunza, who have an average lifespan of 100 & with many reaching over 120 years. They enjoy unparalleled freedom from all forms of degenerative & infectious disease. Due to a 2 foot layer of mineral-rich topsoil, babies are born with all of their teeth fully developed. In the early 20th century, Sir Robert McCarrison, Major General in the British Medical Corps, investigated these remote people. He was astounded at their pristine health & immunity. *“These people are unsurpassed ...in perfection of physique; they are long lived, vigorous in youth & age, capable of great endurance & enjoy a remarkable freedom from disease in general.”*



McCarrison, Sir Robert; Studies in Deficiency Disease, Henry, Frowde and Hodden & Stoughton, London, 1921; & the *Cantor Lectures*, The **Royal Society of Arts**; London, UK; 1936

PRISTINE HEALTH IS HUMANITIES BIRTHRIGHT

The only lawful strategy for avoiding all forms of disease is to to intelligently walk in the laws of health, & avoid crudely invasive medical drugging. My three children (now adults) over a 15 year period never once experienced any illness of any kind, not even a runny nose, or a common cold. I know that they were directly exposed at least to measles, & to infectious hepatitis. They were on a whole food plant-based diet, & we lived on a 5 acre country property, with our own garden & fruit trees. They also never once swallowed a drug, or received a vaccine.



End of Presentation
Thank you